

Product Fiche compliant to commission delegated regulation (EU) No 65/2014

Brand	3I MARCHI
Model	ACMK 6130/WH
EEl [%] Energy Efficiency Index - Main cavity 1)	106.9
EEl [%] Energy Efficiency Index - Secondary cavity 1)	0
Energy Efficiency Class - Main cavity 2)	A
Energy Efficiency Class - Secondary cavity 2)	-
Energy consumption in conventional mode [kWh/cycle] - Main cavity 3)	0.88
Energy consumption in conventional mode [kWh/cycle] - Secondary cavity 3)	0
Energy consumption in fan-forced mode [kWh/cycle] - Main cavity 3)	0
Energy consumption in fan-forced mode [kWh/cycle] - Secondary cavity 3)	0
Energy consumption in conventional mode [MJ/cycle] - Main cavity 3)	0
Energy consumption in conventional mode [MJ/cycle] - Secondary cavity 3)	0
Energy consumption in fan-forced mode [MJ/cycle] - Main cavity 3)	0
Energy consumption in fan-forced mode [MJ/cycle] - Secondary cavity 3)	0
Number of cavities	1
Heat source - Main cavity	Electric
Heat Source - Secondary cavity	
Usable volume [l] - Main cavity	66
Usable volume [l] - Secondary cavity	0

1) Energy Efficiency Index calculated according to the volume and energy consumption for each cavity.

2) From A+++ (low consumption) to D (high consumption).

3) Based on the results of standards tests that simulate the thermal properties of food. The consumption will depend on how the appliance is used.

Product Information compliant to commission regulation (EU) No 66/2014

	Symbol	Value	Unit
Model identification		ACMK 6130/WH	
Type of oven		CONVENTIONAL	
Mass of the appliance	M	49.5	Kg
Number of cavities		1	
Heat source per cavity (electricity or gas)		Electric	
Volume per cavity - Main cavity	V	66	l
Volume per cavity - Secondary cavity	V	0	l
Energy consumption (electricity) required to heat a standardised load in a cavity of an electric heated oven during a cycle in conventional mode per cavity (electric final energy) - Main cavity	ECelectric cavity	0.88	kWh/cycle
Energy consumption (electricity) required to heat a standardised load in a cavity of an electric heated oven during a cycle in conventional mode per cavity (electric final energy) - Secondary cavity	ECelectric cavity	0.00	kWh/cycle
Energy consumption required to heat a standardised load in a cavity of an electric heated oven during a cycle in fan-forced mode per cavity (electric final energy) - Main cavity	ECelectric cavity	0.00	kWh/cycle
Energy consumption required to heat a standardised load in a cavity of an electric heated oven during a cycle in fan-forced mode per cavity (electric final energy) - Secondary cavity	ECelectric cavity	0.00	kWh/cycle
Energy consumption required to heat a standardised load in a gas-fired cavity of an oven during a cycle in conventional mode per cavity (gas final energy) - Main cavity 1)	ECgas cavity	0.00	MJ/cycle
Energy consumption required to heat a standardised load in a gas-fired cavity of an oven during a cycle in conventional mode per cavity (gas final energy) - Main cavity	ECgas cavity	0.00	kWh/cycle
Energy consumption required to heat a standardised load in a gas-fired cavity of an oven during a cycle in conventional mode per cavity (gas final energy) - Secondary cavity 1)	ECgas cavity	0.00	MJ/cycle
Energy consumption required to heat a standardised load in a gas-fired cavity of an oven during a cycle in conventional mode per cavity (gas final energy) - Secondary cavity	ECgas cavity	0.00	kWh/cycle
Energy consumption required to heat a standardised load in a gas-fired cavity of an oven during a cycle in fan-forced mode per cavity (gas final energy) - Main cavity 1)	ECgas cavity	0.00	MJ/cycle
Energy consumption required to heat a standardised load in a gas-fired cavity of an oven during a cycle in fan-forced mode per cavity (gas final energy) - Main cavity	ECgas cavity	0.00	kWh/cycle
Energy consumption required to heat a standardised load in a gas-fired cavity of an oven during a cycle in fan-forced mode per cavity (gas final energy) - Secondary cavity 1)	ECgas cavity	0.00	MJ/cycle
Energy consumption required to heat a standardised load in a gas-fired cavity of an oven during a cycle in fan-forced mode per cavity (gas final energy) - Secondary cavity	ECgas cavity	0.00	kWh/cycle
Energy Efficiency Index per cavity - Main cavity	EElcavity	106.9	

Energy Efficiency Index per cavity - Secondary cavity	EElcavity	0.0	
-------------------------------------------------------	-----------	-----	--

1) 1kWh/cycle = 3,6 MJ/cycle

Product Information compliant to commission regulation (EU) No 66/2014			
	Symbol	Format	Unit
Model identification		ACMK 6130/WH	
Type of hob		Gas	
Number of cooking zones and/or areas		4	
Heating technology (induction cooking zones and cooking areas, radiant cooking zones, solid plate)			
Left behind		Semi-Fast HE	
Center behind			
Right behind		Semi-Fast HE	
Left center			
Center center			
Right center			
Left ahead		Fast HE	
Center ahead			
Right ahead		Auxiliary HE	
For circular cooking zones: diameter of useful surface area per electric heated cooking zone			
Left behind	∅	7.5	cm
Center behind	∅	0.0	cm
Right behind	∅	7.5	cm
Left center	∅	0.0	cm
Center center	∅	0.0	cm
Right center	∅	0.0	cm
Left ahead	∅	10.0	cm
Center ahead	∅	0.0	cm
Right ahead	∅	5.5	cm
For non-circular cooking zones or areas: length and width of useful surface area per electric heated cooking zone or area			
Left behind	L ; W	0.0 ; 0.0	cm
Center behind	L ; W	0.0 ; 0.0	cm
Right behind	L ; W	0.0 ; 0.0	cm
Left center	L ; W	0.0 ; 0.0	cm
Center center	L ; W	0.0 ; 0.0	cm
Right center	L ; W	0.0 ; 0.0	cm
Left ahead	L ; W	0.0 ; 0.0	cm
Center ahead	L ; W	0.0 ; 0.0	cm
Right ahead	L ; W	0.0 ; 0.0	cm
Energy consumption per cooking zone or area calculated per Kg			
Left behind	ECElectric cooking	0.0	Wh/Kg
Center behind	ECElectric cooking	0.0	Wh/Kg
Right behind	ECElectric cooking	0.0	Wh/Kg
Left center	ECElectric cooking	0.0	Wh/Kg
Center center	ECElectric cooking	0.0	Wh/Kg
Right center	ECElectric cooking	0.0	Wh/Kg
Left ahead	ECElectric cooking	0.0	Wh/Kg
Center ahead	ECElectric cooking	0.0	Wh/Kg
Right ahead	ECElectric cooking	0.0	Wh/Kg
Energy consumption for the hob calculated per Kg	ECElectric hob	0.0	Wh/Kg

Number of gas fired burners		4	
Energy efficiency per gas burner			
Left behind	EEgas burner	59.7	
Center behind	EEgas burner	0.0	
Right behind	EEgas burner	59.7	
Left center	EEgas burner	0.0	
Center center	EEgas burner	0.0	
Right center	EEgas burner	0.0	
Left ahead	EEgas burner	61.2	
Center ahead	EEgas burner	0.0	
Right ahead	EEgas burner	0.0	
Energy efficiency for the gas hob	EEgas hob	59.3	