

| <b>Product Fiche compliant to commission delegated regulation (EU) No 65/2014</b> |                 |
|---|-----------------|
| Brand   | 3I MARCHI       |
| Model   | ACMT<br>5131/WH |
| EEl [%] Energy Efficiency Index - Main cavity 1)                                  | 106.9           |
| EEl [%] Energy Efficiency Index - Secondary cavity 1)                             | 0               |
| Energy Efficiency Class - Main cavity 2)  | A               |
| Energy Efficiency Class - Secondary cavity 2)                                     | -               |
| Energy consumption in conventional mode [kWh/cycle] - Main cavity 3)              | 0.99            |
| Energy consumption in conventional mode [kWh/cycle] - Secondary cavity 3)         | 0               |
| Energy consumption in fan-forced mode [kWh/cycle] - Main cavity 3)                | 0.86            |
| Energy consumption in fan-forced mode [kWh/cycle] - Secondary cavity 3)           | 0               |
| Energy consumption in conventional mode [MJ/cycle] - Main cavity 3)               | 0               |
| Energy consumption in conventional mode [MJ/cycle] - Secondary cavity 3)          | 0               |
| Energy consumption in fan-forced mode [MJ/cycle] - Main cavity 3)                 | 0               |
| Energy consumption in fan-forced mode [MJ/cycle] - Secondary cavity 3)            | 0               |
| Number of cavities  | 1               |
| Heat source - Main cavity   | Electric        |
| Heat Source - Secondary cavity  |                 |
| Usable volume [l] - Main cavity   | 60              |
| Usable volume [l] - Secondary cavity  | 0               |

1) Energy Efficiency Index calculated according to the volume and energy consumption for each cavity.

2) From A+++ (low consumption) to D (high consumption).

3) Based on the results of standards tests that simulate the thermal properties of food. The consumption will depend on how the appliance is used.

| <b>Product Information compliant to commission regulation (EU) No 66/2014</b>  |                   |                 |             |
|--|-------------------|-----------------|-------------|
|  | <b>Symbol</b>     | <b>Value</b>    | <b>Unit</b> |
| Model identification   |                   | ACMT<br>5131/WH |             |
| Type of oven   |                   | FANFORCE<br>D   |             |
| Mass of the appliance  | M                 | 40.0            | Kg          |
| Number of cavities   |                   | 1               |             |
| Heat source per cavity (electricity or gas)  |                   | Electric        |             |
| Volume per cavity - Main cavity  | V                 | 60              | l           |
| Volume per cavity - Secondary cavity   | V                 | 0               | l           |
| Energy consumption (electricity) required to heat a standardised load in a cavity of an electric heated oven during a cycle in conventional mode per cavity (electric final energy) - Main cavity      | ECelectric cavity | 0.99            | kWh/cycle   |
| Energy consumption (electricity) required to heat a standardised load in a cavity of an electric heated oven during a cycle in conventional mode per cavity (electric final energy) - Secondary cavity | ECelectric cavity | 0.00            | kWh/cycle   |
| Energy consumption required to heat a standardised load in a cavity of an electric heated oven during a cycle in fan-forced mode per cavity (electric final energy) - Main cavity                      | ECelectric cavity | 0.86            | kWh/cycle   |
| Energy consumption required to heat a standardised load in a cavity of an electric heated oven during a cycle in fan-forced mode per cavity (electric final energy) - Secondary cavity                 | ECelectric cavity | 0.00            | kWh/cycle   |
| Energy consumption required to heat a standardised load in a gas-fired cavity of an oven during a cycle in conventional mode per cavity (gas final energy) - Main cavity 1)                            | ECgas cavity      | 0.00            | MJ/cycle    |
| Energy consumption required to heat a standardised load in a gas-fired cavity of an oven during a cycle in conventional mode per cavity (gas final energy) - Main cavity                               | ECgas cavity      | 0.00            | kWh/cycle   |
| Energy consumption required to heat a standardised load in a gas-fired cavity of an oven during a cycle in conventional mode per cavity (gas final energy) - Secondary cavity 1)                       | ECgas cavity      | 0.00            | MJ/cycle    |
| Energy consumption required to heat a standardised load in a gas-fired cavity of an oven during a cycle in conventional mode per cavity (gas final energy) - Secondary cavity                          | ECgas cavity      | 0.00            | kWh/cycle   |
| Energy consumption required to heat a standardised load in a gas-fired cavity of an oven during a cycle in fan-forced mode per cavity (gas final energy) - Main cavity 1)                              | ECgas cavity      | 0.00            | MJ/cycle    |
| Energy consumption required to heat a standardised load in a gas-fired cavity of an oven during a cycle in fan-forced mode per cavity (gas final energy) - Main cavity                                 | ECgas cavity      | 0.00            | kWh/cycle   |
| Energy consumption required to heat a standardised load in a gas-fired cavity of an oven during a cycle in fan-forced mode per cavity (gas final energy) - Secondary cavity 1)                         | ECgas cavity      | 0.00            | MJ/cycle    |
| Energy consumption required to heat a standardised load in a gas-fired cavity of an oven during a cycle in fan-forced mode per cavity (gas final energy) - Secondary cavity                            | ECgas cavity      | 0.00            | kWh/cycle   |
| Energy Efficiency Index per cavity - Main cavity   | EElcavity         | 106.9           |             |

|   |           |     |  |
|---|-----------|-----|--|
| Energy Efficiency Index per cavity - Secondary cavity | EElcavity | 0.0 |  |
|---|-----------|-----|--|

1) 1kWh/cycle = 3,6 MJ/cycle

| <b>Product Information compliant to commission regulation (EU) No 66/2014</b>  |                       |                 |             |
|--|-----------------------|-----------------|-------------|
|  | <b>Symbol</b>         | <b>Format</b>   | <b>Unit</b> |
| Model identification   |                       | ACMT<br>5131/WH |             |
| Type of hob  |                       | Gas             |             |
| Number of cooking zones and/or areas   |                       | 0               |             |
| <b>Heating technology (induction cooking zones and cooking areas, radiant cooking zones, solid plate)</b>                        |                       |                 |             |
| Left behind  |                       | Semi-Fast<br>HE |             |
| Center behind  |                       |                 |             |
| Right behind   |                       | Semi-Fast<br>HE |             |
| Left center  |                       |                 |             |
| Center center  |                       |                 |             |
| Right center   |                       |                 |             |
| Left ahead   |                       | Auxiliary HE    |             |
| Center ahead   |                       |                 |             |
| Right ahead  |                       | Fast HE         |             |
| <b>For circular cooking zones: diameter of useful surface area per electric heated cooking zone</b>                              |                       |                 |             |
| Left behind  | ∅                     | 7.5             | cm          |
| Center behind  | ∅                     | 0.0             | cm          |
| Right behind   | ∅                     | 7.5             | cm          |
| Left center  | ∅                     | 0.0             | cm          |
| Center center  | ∅                     | 0.0             | cm          |
| Right center   | ∅                     | 0.0             | cm          |
| Left ahead   | ∅                     | 5.5             | cm          |
| Center ahead   | ∅                     | 0.0             | cm          |
| Right ahead  | ∅                     | 10.0            | cm          |
| <b>For non-circular cooking zones or areas: length and width of useful surface area per electric heated cooking zone or area</b> |                       |                 |             |
| Left behind  | L ; W                 | 0.0 ; 0.0       | cm          |
| Center behind  | L ; W                 | 0.0 ; 0.0       | cm          |
| Right behind   | L ; W                 | 0.0 ; 0.0       | cm          |
| Left center  | L ; W                 | 0.0 ; 0.0       | cm          |
| Center center  | L ; W                 | 0.0 ; 0.0       | cm          |
| Right center   | L ; W                 | 0.0 ; 0.0       | cm          |
| Left ahead   | L ; W                 | 0.0 ; 0.0       | cm          |
| Center ahead   | L ; W                 | 0.0 ; 0.0       | cm          |
| Right ahead  | L ; W                 | 0.0 ; 0.0       | cm          |
| <b>Energy consumption per cooking zone or area calculated per Kg</b>   |                       |                 |             |
| Left behind  | ECElectric<br>cooking | 0.0             | Wh/Kg       |
| Center behind  | ECElectric<br>cooking | 0.0             | Wh/Kg       |
| Right behind   | ECElectric<br>cooking | 0.0             | Wh/Kg       |
| Left center  | ECElectric<br>cooking | 0.0             | Wh/Kg       |
| Center center  | ECElectric<br>cooking | 0.0             | Wh/Kg       |
| Right center   | ECElectric<br>cooking | 0.0             | Wh/Kg       |
| Left ahead   | ECElectric<br>cooking | 0.0             | Wh/Kg       |
| Center ahead   | ECElectric<br>cooking | 0.0             | Wh/Kg       |
| Right ahead  | ECElectric<br>cooking | 0.0             | Wh/Kg       |
| Energy consumption for the hob calculated per Kg   | ECElectric hob        | 0.0             | Wh/Kg       |

|   |              |      |  |
|---|--------------|------|--|
| Number of gas fired burners             |              | 4    |  |
| <b>Energy efficiency per gas burner</b> |              |      |  |
| Left behind                             | EEgas burner | 59.1 |  |
| Center behind                           | EEgas burner | 0.0  |  |
| Right behind                            | EEgas burner | 59.3 |  |
| Left center                             | EEgas burner | 0.0  |  |
| Center center                           | EEgas burner | 0.0  |  |
| Right center                            | EEgas burner | 0.0  |  |
| Left ahead                              | EEgas burner | 0.0  |  |
| Center ahead                            | EEgas burner | 0.0  |  |
| Right ahead                             | EEgas burner | 60.0 |  |
| Energy efficiency for the gas hob       | EEgas hob    | 59.5 |  |